

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

9422
D71BSW
Reserve

Domestic wool: Weekly average prices at Boston, 1939
(Cents per pound)
Scoured basis

LIBRARY
RECEIVED
★ NOV 25 1943 ★
U.S. Department of Agriculture

		Semi-bright fleece 1/										Bright fleece 2/									
		64's	70's	80's	58's	60's	56's	48's	50's	46's	64's	70's	80's	58's	60's	56's	48's	50's	46's	36's	40's
Week ended	: (Staple):	Fine	Fine	1/2 blood	3/8 blood	1/4 blood	Low	Fine	Fine	1/2 blood	3/8 blood	1/4 blood	Low	44's							
		combing	clothing	combing	combing	combing	combing	combing	clothing	combing	combing	combing	combing	combing	combing	combing	combing	combing	combing	combing	Braid
Jan. 7		70.0	64.0	64.5	59.5	54.5	51.5	73.5	64.5	65.5	59.5	55.0	53.0	51.0							
14		70.0	64.0	64.5	59.5	54.5	51.5	73.5	64.5	65.5	59.5	55.0	53.0	51.0							
21		70.0	64.5	64.5	59.5	55.0	51.5	73.5	65.5	65.5	59.5	56.0	53.0	51.0							
28		70.0	64.5	64.5	59.5	55.0	51.5	73.5	65.5	65.5	59.5	56.0	53.0	51.0							
Feb. 4		70.0	64.5	64.5	59.5	55.0	51.5	73.5	65.5	65.5	60.0	56.5	53.0	51.0							
11		71.0	65.5	64.5	59.5	55.0	51.5	73.5	65.5	65.5	60.5	56.5	53.0	51.0							
18		71.0	65.5	64.5	59.5	55.0	51.5	73.5	65.5	65.5	60.5	56.5	53.0	51.0							
25		71.0	65.5	64.5	59.5	55.0	51.5	73.5	65.5	65.5	60.5	56.5	53.0	51.0							
Mar. 4		71.0	65.5	64.5	59.5	55.0	51.5	73.5	65.5	65.5	60.5	56.5	53.0	51.0							
11		71.0	65.5	64.5	59.5	55.0	51.5	73.5	65.5	65.5	60.5	56.5	53.0	51.0							
18		71.0	65.5	64.5	59.5	55.0	51.5	73.5	65.5	65.5	60.5	56.5	53.0	51.0							
25		71.0	65.5	64.5	59.5	55.0	51.5	73.5	65.5	65.5	60.5	56.5	53.0	51.0							
Apr. 1		70.0	62.0	63.5	58.0	53.0	50.0	72.0	63.0	65.0	58.0	53.0	51.0	49.0							
8		69.0	61.0	62.0	54.5	52.0	49.0	70.5	61.5	63.5	55.5	52.5	49.5	47.5							
15		68.0	61.0	61.5	54.0	50.0	47.0	68.5	61.5	63.0	54.5	50.5	48.0	46.0							
22		68.0	61.0	61.5	54.0	50.0	47.0	68.5	61.5	63.0	54.5	50.5	48.0	46.0							
29		68.0	61.0	61.5	54.0	50.0	47.0	68.5	61.5	63.0	54.5	50.5	48.0	46.0							
May 6		68.0	61.0	61.5	54.0	50.0	47.0	68.5	61.5	63.0	54.5	50.5	48.0	46.0							
13		68.0	61.0	61.5	54.0	50.0	47.0	68.5	61.5	63.0	54.5	50.5	48.0	46.0							
20		69.0	64.0	65.0	56.0	53.5	48.5	71.5	65.0	66.5	57.5	54.5	52.0	50.0							
27		70.0	64.5	65.5	57.0	54.5	51.0	72.5	65.5	67.0	59.0	55.5	52.0	50.0							
June 3		70.0	64.5	65.5	57.0	54.5	51.0	72.5	65.5	67.0	59.0	55.5	52.0	50.0							
10		70.0	64.5	65.5	57.0	54.5	51.0	72.5	65.5	67.0	59.0	55.5	52.0	50.0							
17		70.0	64.5	65.5	58.5	55.0	53.0	73.5	65.5	67.0	59.0	56.0	54.0	51.0							
24		70.0	64.5	65.5	58.5	55.0	53.0	73.5	65.5	67.0	59.0	56.0	54.0	51.0							
July 1		69.0	63.5	63.0	58.0	54.5	53.0	73.5	65.0	66.5	58.0	55.0	54.0	51.0							

1/ Wools that are somewhat dark in color and of moderately heavy shrinkage. Nearly all of the wools grown in the farm land areas of the Dakotas, Nebraska, Kansas and Oklahoma are of this type. Semi-bright wools are also grown in parts of Minnesota, Wisconsin, Iowa and Missouri.
2/ Wools that are bright in color and of relatively light shrinkage. Nearly all of the wools grown in the states east of the Mississippi River are of this type. Bright wools are also grown in parts of Minnesota, Iowa and Missouri. Wools from Kentucky, Virginia and Tennessee usually bring prices 1 to 3 cents per pound, grease basis, above bright fleeces because of their lighter shrinkage.

9422
SD71Bsu
p.1

Domestic wool: Weekly average prices at Boston, 1939
(Cents per pound)
Scoured basis

	Semi-bright fleece 1/										Bright fleece 2/									
Week ended	64's, 70's, 80's	58's, 60's	56's	48's, 50's	46's	Low	64's, 70's, 80's	58's, 60's	56's	48's, 50's	46's	Low	36's, 40's	34's	32's	30's	28's	26's	24's	22's
	Fine	Fine	1/2 blood	3/8 blood	1/4 blood		Fine	Fine	1/2 blood	3/8 blood	1/4 blood		Fine	Fine	1/2 blood	3/8 blood	1/4 blood		Common and Braid	
	combing: (Staple):	combing:	combing:	combing:	combing:	combing:	combing:	combing:	combing:	combing:	combing:	combing:	combing:	combing:	combing:	combing:	combing:	combing:	combing:	combing:
July 8	69.0	63.5	63.0	58.0	54.5	53.0	73.5	65.0	66.5	58.0	55.0	54.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0	51.0
15	69.9	63.5	63.0	59.0	55.0	53.0	73.5	66.5	67.0	59.5	56.0	54.0	53.5	53.5	53.5	53.5	53.5	53.5	53.5	53.5
22	71.0	65.0	64.5	59.0	56.0	54.0	73.5	68.0	67.0	61.0	57.0	55.0	53.5	53.5	53.5	53.5	53.5	53.5	53.5	53.5
29	71.0	65.0	64.5	59.0	56.0	54.0	73.5	68.0	67.0	61.0	57.0	55.0	53.5	53.5	53.5	53.5	53.5	53.5	53.5	53.5
Aug. 5	71.0	65.0	64.5	59.0	58.0	54.0	74.0	68.0	67.0	61.0	58.5	56.0	54.0	54.0	54.0	54.0	54.0	54.0	54.0	54.0
12	71.0	65.0	64.5	59.0	58.0	54.0	74.0	68.0	67.0	61.0	58.5	56.0	54.0	54.0	54.0	54.0	54.0	54.0	54.0	54.0
19	71.0	65.0	64.5	59.0	58.0	54.0	74.0	68.0	67.0	61.0	58.5	56.0	54.0	54.0	54.0	54.0	54.0	54.0	54.0	54.0
26	71.0	65.0	64.5	59.0	58.0	54.0	74.0	68.0	67.0	61.0	58.5	56.0	54.0	54.0	54.0	54.0	54.0	54.0	54.0	54.0
Sept. 2	71.0	65.0	64.5	59.0	58.0	54.0	74.0	68.0	67.0	61.0	58.5	56.0	54.0	54.0	54.0	54.0	54.0	54.0	54.0	54.0
9	80.5	73.5	72.5	70.0	64.0	60.0	86.5	79.5	77.5	71.0	67.5	62.5	60.5	60.5	60.5	60.5	60.5	60.5	60.5	60.5
16	92.5	83.5	85.0	80.0	75.0	71.5	96.5	86.5	88.0	79.0	74.5	71.5	69.0	69.0	69.0	69.0	69.0	69.0	69.0	69.0
23	99.5	93.5	92.5	84.5	82.0	79.0	102.5	97.5	94.0	85.5	82.5	80.0	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5
30	107.5	99.5	97.5	90.0	87.0	84.0	111.0	103.5	101.5	94.0	89.0	85.0	80.5	80.5	80.5	80.5	80.5	80.5	80.5	80.5
Oct. 7	107.5	99.5	97.5	89.5	86.5	84.0	111.0	103.5	101.5	92.0	87.0	85.0	80.5	80.5	80.5	80.5	80.5	80.5	80.5	80.5
14	107.5	99.5	97.5	89.5	86.5	84.0	109.5	102.5	100.5	92.0	87.0	85.0	80.5	80.5	80.5	80.5	80.5	80.5	80.5	80.5
21	106.5	97.5	97.5	89.5	86.5	84.0	109.5	102.5	100.5	92.0	87.0	85.0	80.5	80.5	80.5	80.5	80.5	80.5	80.5	80.5
28	104.0	92.5	94.5	87.5	85.5	84.0	106.5	96.5	97.5	90.0	87.0	85.0	80.5	80.5	80.5	80.5	80.5	80.5	80.5	80.5
Nov. 4	104.0	92.5	94.5	87.5	83.0	81.5	106.5	96.5	97.5	90.0	87.0	85.0	80.5	80.5	80.5	80.5	80.5	80.5	80.5	80.5
11	101.5	92.5	92.5	84.0	80.5	79.0	104.0	94.5	95.5	86.5	82.0	80.0	79.5	79.5	79.5	79.5	79.5	79.5	79.5	79.5
18	101.5	92.5	92.5	82.5	76.5	76.5	104.0	94.5	94.0	86.5	82.0	80.0	79.5	79.5	79.5	79.5	79.5	79.5	79.5	79.5
25	101.5	92.5	93.0	81.0	76.5	76.0	104.0	94.5	94.0	86.5	82.0	80.0	79.5	79.5	79.5	79.5	79.5	79.5	79.5	79.5
Dec. 2	101.5	92.5	93.0	81.0	76.5	76.0	104.0	94.5	94.0	86.5	82.0	80.0	79.5	79.5	79.5	79.5	79.5	79.5	79.5	79.5
9	101.5	92.5	93.0	81.0	76.5	76.0	104.0	94.5	94.0	86.5	82.0	80.0	79.5	79.5	79.5	79.5	79.5	79.5	79.5	79.5
16	104.0	94.5	93.0	81.0	76.5	76.0	106.5	94.5	95.5	84.0	80.0	78.0	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5
23	104.0	94.5	93.0	81.0	76.5	76.0	106.5	94.5	95.5	84.0	80.0	78.0	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5
30	104.0	94.5	93.0	81.0	76.5	76.0	106.5	94.5	95.5	84.0	80.0	78.0	76.5	76.5	76.5	76.5	76.5	76.5	76.5	76.5

1/ Wools that are somewhat dark in color and of moderately heavy shrinkage. Nearly all of the wools grown in the farm land areas of the Dakotas, Nebraska, Kansas and Oklahoma are of this type. Semi-bright wools are also grown in parts of Minnesota, Wisconsin, Iowa and Missouri.

2/ Wools that are bright in color and of relatively light shrinkage. Nearly all of the wools grown in the states east of the Mississippi River are of this type. Bright wools are also grown in parts of Minnesota, Iowa, and Missouri. Wools from Kentucky, Virginia, and Tennessee usually bring prices 1 to 3 cents per pound, above bright fleeces because of their lighter shrinkage.

LIBRARY
RECEIVED
★ NOV 25 1943 ★
U.S. Department of Agriculture

4422
8 D 71 BSW
opp. 1

Domestic wool: Weekly average prices at Boston, 1939
(Cents per pound)
Scoured Basis

Week ended	Territory 1/										Fine Texas 2/(Original bags)			
	64's, 70's, 80's	:	58's, 60's	:	56's	:	48's, 50's	46's	36's, 40's	:	French	:	Clothing	U. S. Department of Agriculture
	Fine	:	Fine	:	1/2 blood: 1/2 blood: 3/8 blood: 1/4 blood:	:	Low	:	44's	:	Combing	:	combing	(Fall)
	combing	:	French	:	clothing: combing	:	clothing: combing	:	clothing: combing	:	1/4 blood:	:	Common	(12 months):
	(Staple):	:	combing	:	combing	:	combing	:	and braid	:	:	:	:	:
Jan. 7	72.0		68.5		63.5		68.0		61.0		60.5		56.0	
14	72.0		59.0		64.5		69.0		62.0		60.5		56.5	
21	72.0		69.5		64.5		69.0		62.0		61.0		56.5	
28	73.0		69.5		64.5		69.5		63.0		61.0		58.0	
Feb. 4	73.0		69.5		64.5		69.5		63.0		61.0		58.0	
11	74.0		70.0		64.5		70.0		63.0		61.0		58.0	
18	74.0		71.0		66.0		70.0		63.0		61.0		58.0	
25	74.0		71.0		66.0		70.0		63.0		61.0		58.0	
Mar. 4	74.0		71.0		66.0		70.0		63.0		61.0		58.0	
11	73.0		70.0		64.0		69.0		61.0		60.0		57.0	
18	71.0		68.5		62.0		69.0		61.0		60.0		57.0	
25	71.0		68.5		62.0		69.0		61.0		60.0		57.0	
Apr. 1	70.0		67.0		61.0		68.0		60.0		58.5		55.0	
8	69.0		66.0		61.0		67.0		60.0		57.5		54.0	
15	69.0		66.0		61.0		67.0		60.0		57.0		53.0	
22	69.0		66.0		61.0		67.0		60.0		57.0		53.0	
29	69.0		66.0		61.0		67.0		60.0		57.0		53.0	
May 6	69.0		66.0		61.0		67.0		60.0		57.0		53.0	
13	69.0		66.0		62.0		68.0		61.0		58.5		54.0	
20	70.0		66.5		63.0		68.0		61.0		59.0		55.0	
27	70.0		66.5		63.0		68.0		61.0		59.0		55.0	
June 3	71.0		67.5		63.5		68.0		61.0		59.0		55.0	
10	71.0		68.5		63.5		68.0		61.0		60.0		55.0	
17	71.0		68.5		63.5		68.0		61.0		60.0		55.0	
24	71.0		68.5		63.5		68.0		61.0		60.0		55.0	
July 1	70.0		65.5		61.0		66.0		60.0		59.0		55.0	

1/ Wools grown under range conditions in the range areas of Washington, Oregon, the Inter-Mountain states, including Arizona, and New Mexico, and in the range areas of the Dakotas, Nebraska, Kansas, and Oklahoma. Territory wools cover a wide range in shrinkage, and in color.

2/ Wools grown under range conditions in the range areas of Texas. They are mostly bright in color and moderate in shrinkage except in the Panhandle district, where they are considerably darker in color and heavier in shrinkage.

LIBRARY
RECEIVED
★ NOV 25 1943 ★
U. S. Department of Agriculture

17442
58D71B5W
exp. 1

Domestic wool: Weekly average prices at Boston, 1939
(Cents per pound)
Scoured Basis

Week ended	Territory 1/										Fine Texas 2/(Original Bales)			
	64's, 70's, 80's	58's, 60's	56's	48's, 50's	46's	36's, 40's	44's	Combing : (12 months):	French : (6 months):	Clothing : (Fall)	Combing : (12 months):	French : (6 months):	Clothing : (Fall)	U.S. Department of Agriculture
	Fine : Fine : Fine : 1/2 blood: 1/2 blood: 3/8 blood: 3/8 blood: 1/4 blood: 1/4 blood: Common : (12 months): (6 months): (Fall)													
	combing : French : clothing : combing : French : clothing : combing : clothing : combing : clothing : combing : combing : combing : combing : combing													
	(Staple) : combing : (Staple) : combing : (Staple) : combing : (Staple) : combing : (Staple) : combing : (Staple) : combing : (Staple) : combing : (Staple) : combing													
July 8	70.0	65.5	61.0	66.0	63.0	60.0	59.0	55.0	55.0	54.0	52.0	67.0	61.5	54.5
15	71.5	66.5	62.0	67.0	64.0	60.0	60.5	55.0	56.0	54.0	52.0	68.0	62.0	54.5
22	73.0	67.5	63.0	68.0	65.0	61.0	61.0	56.0	57.0	55.0	54.0	68.5	62.0	54.5
29	73.0	67.5	63.0	68.0	65.0	61.0	61.0	56.0	57.0	55.0	54.0	69.0	63.0	55.0
Aug. 5	74.0	68.0	64.0	68.0	65.0	61.0	61.0	56.0	58.5	56.0	54.0	69.0	63.0	55.0
12	74.0	69.0	65.0	68.0	65.0	61.0	61.0	57.0	58.5	56.0	54.0	69.0	63.0	55.0
19	74.0	69.0	65.0	68.0	65.0	61.0	61.0	57.0	59.0	56.0	54.0	69.0	63.0	55.0
26	74.0	69.0	65.0	68.0	65.0	61.0	61.0	57.0	59.0	56.0	54.0	69.0	63.0	55.0
Sept. 2	74.0	69.0	65.0	68.0	65.0	61.0	61.0	57.0	59.0	56.0	54.0	69.0	63.0	55.0
9	82.5	79.0	74.0	79.0	74.5	70.0	70.5	66.5	67.0	61.5	59.5	80.5	71.5	62.5
16	96.0	91.5	84.0	91.0	86.0	80.0	83.0	76.5	77.5	74.5	72.5	91.0	81.5	71.0
23	104.0	99.0	92.5	100.0	92.5	90.5	89.5	82.5	83.5	81.0	76.5	101.0	90.5	85.5
30	112.5	108.5	97.5	107.5	100.5	97.5	96.5	88.5	90.5	87.5	81.5	103.5	96.5	90.5
Oct. 7	111.0	106.5	97.5	106.5	99.0	96.5	95.5	87.5	89.5	87.5	80.5	107.5	95.5	88.5
14	111.0	104.5	97.5	106.5	99.0	96.5	95.5	87.5	89.5	87.5	80.5	107.5	95.5	88.5
21	109.0	103.5	96.5	103.5	97.0	93.5	94.0	86.5	89.5	87.5	80.5	106.5	94.0	88.5
28	107.0	101.5	94.5	101.5	95.0	91.0	91.5	86.5	89.5	87.5	80.5	106.5	94.0	88.5
Nov. 4	107.0	101.5	94.5	101.5	95.0	91.0	91.5	86.5	89.5	87.5	80.5	102.5	94.0	88.5
11	105.0	97.5	93.5	97.5	94.0	89.5	87.5	84.0	85.0	84.0	79.5	101.0	91.0	83.5
18	105.0	97.5	91.5	97.5	91.5	88.5	87.5	84.0	82.5	79.0	76.5	97.5	91.0	80.0
25	105.0	98.5	92.0	95.5	91.5	88.5	86.5	84.0	81.5	79.0	76.5	97.5	91.0	80.0
Dec. 2	105.0	98.5	92.0	96.5	91.5	88.5	86.5	84.0	81.5	79.0	76.5	98.5	91.0	78.5
9	105.0	99.0	93.5	99.0	94.0	89.5	86.5	84.0	81.5	79.0	76.5	99.5	91.0	76.5
16	106.0	100.0	93.5	99.0	94.0	89.5	86.5	84.0	81.5	79.0	76.5	100.5	91.0	73.5
23	106.0	100.0	93.5	99.0	94.0	89.5	86.5	84.0	81.5	79.0	76.5	100.5	91.0	73.5
30	106.0	100.0	93.5	99.0	94.0	89.5	84.0	81.0	81.0	79.0	76.5	100.5	91.0	73.5

1/ Wools grown under range conditions in the range areas of Washington, Oregon, the Inter-Mountain states, including Arizona, and New Mexico, and in the range areas of the Dakotas, Nebraska, Kansas, and Oklahoma. Territory wools cover a wide range in shrinkage, and in color.

2/ Wools grown under range conditions in the range areas of Texas. They are mostly bright in color and moderate in shrinkage except in the Panhandle district, where they are considerably darker in color and heavier in shrinkage.

LIBRARY
RECEIVED
★ NOV 25 1943 ★
U.S. Department of Agriculture

